Local Board of Hailth Annual Report 1950

REPORT

of the

Local Board of Health

LIBRARY OF THE UNIVERSITY
OF ALBERTA



THE CITY OF EDMONTON

ALBERTA

4950

	A second		
	44	***	

BOARD OF HEALTH, 1950

Dr. D. R. Easton

Dr. R. M. Shaw, Chairman Ald. E. I. Clarke Ald. F. A. Ford

Dr. R. M. Shaw

Dr. G. H. Brown, Edmonton Public School Board Mr. J. A. Gallant, Separate School Board

EX-OFFICIO MEMBERS

Dr. G. M. Little, M.O.H.

Mayor S. Parsons
Mr. J. D. A. MacDonald, City Engineer
Catharine Rose, Secretary

BOARD OF HEALTH, 1951

Dr. R. M. Shaw

Dr. D. R. Easton, Chairman Ald. F. A. Ford Ald. F. Mitchell

Dr. D. R. Easton

Dr. G. H. Brown, Edmonton Public School Board Mr. A. J. Crowe, Separate School Board

EX-OFFICIO MEMBERS

Dr. G. M. Little, M.O.H.

Mayor S. Parsons
Mr. J. D. A. MacDonald, City Engineer Catharine R. Rose, Secretary


\mathtt{STAFF}	
Medical Officer of Health	.G. M. Little, M.D., D.P.H.
Secretary, Board of Health	Rose, Miss C. R.
Public Health Nurse, Sr	Griffith, Miss M., R.N.
Public Health Nurse, Sr.	Christensen, Miss S. C., R.N.
Public Health Nurse, Sr.	Thompson, Miss M. E., R.N.
Public Health Nurse	Lea, Miss E., R.N.
Public Health Nurse	Lesik, Mrs. R., R.N.
Public Health Nurse	
Chief Sanitary Inspector	Alexander, L. G., C.I.S. (C.)
Sr. Sanitary Inspector	Chase, H. G., C.I.S. (C.)
Sanitary Inspector.	Hill, G. B., C.I.S. (C.)
Sanitary Inspector	
Sanitary Inspector	Kyle, R. S.
Sanitary Inspector	Overton, L. B., C.I.S. (C.)
Sanitary Inspector	Powell, E. C., C.I.S. (C.)
Meat Inspector	Morrison, Dr. D. M., V.S.
Milk and Dairy Supervisor	Meredith, R. B., C.I.S. (C.)
Dairy Inspector	Burdess, G., C.I.S., (C)
Stenographer, Sr	Derbyshire, Miss K. D.
Stenographer	Craig, Miss I.
Stenographer	
Clerk	
Clerk	Lee, Miss M.

CONTENTS:

Annual Report of M.O.H. Financial Statement	3 5
Summary of Statistics	5
Vital Statistics	6
Infant Mortality	7
International List of Causes of Deaths	9
Principal Causes of Deaths	.1
Immunization1	.1
Communicable Disease	4
Isolation Hospital	5
School Medical Services	.5
Public Health Nursing 1	6
Sanitation	. 7
Food Inspection1	9
Milk and Water	2

WHOOPING COUGH MORBIDITY

EDMONTON, 1931 - 1950



This disease has been characterized by a high peak of incidence every third year until Sauer-type vaccine was introduced in 1942. Since that time these peaks are markedly lowered and are further apart. This has occurred during a period of rapid increase and overcrowding in our population.

Annual Report of the Medical Officer of Health

Chairman and Members, Local Board of Health, Edmonton, Alberta.

Gentlemen:

Herewith is submitted a report of the activities of our Board and certain other health agencies of the City during 1950:

BIRTHS

Our birth-rate per 1,000 population showed only a slight increase, so that the total increase of 376 babies born to residents in 1950 indicates chiefly our increase in population. That nearly one-third the 6,813 babies born in the City were to non-residents presents a measure of the considerable area outside our City for which local institutions are providing hospital beds.

DEATHS:

Our general death-rate at 7.6 per 1,000 population gave a slight increase. The chief cause of death, heart disease, showed some reduction. The second cause of death, cancer, continued to increase. Increase of death from cancer is to be expected in a population whose average age is increasing; but if our citizens will pay attention to those early signs of cancer and will seek prompt attention, there is no doubt many deaths from this disease may be prevented.

Our infant mortality rate of 25.5 per 1,000 living births gives a slight increase, but remains amongst the lowest on this continent.

COMMUNICABLE DISEASES:

A total increase in communicable diseases was due chiefly to extensive outbreaks of mumps and rubella. The incidence of serious communicable disease, however, remained low, although some increase in tuberculosis and venereal disease were recorded. Only one case of diphtheria and thirty cases of whooping cough marks a satisfying result of continued immunization against these diseases. For the same reason we have had no case of smallpox in our City since 1936.

CLINICS:

Our Well-Baby and Pre-School Clinic again showed an increased attendance to 15,322. Here supervision is given the physical development of the growing child, and assistance given with infant feeding and other problems. In addition, 2,564 home visits were made by nurses from this clinic to advise mothers in the home.

Citizens have used our Immunization Clinic freely, and to this we give much credit for the control of such serious communicable diseases as diphtheria, whooping cough and smallpox. The attendance at this clinic during the year was 21,624.

SANITATION:

From the sanitary standpoint, general cleanliness of the City has been good. However, considerable refuse blows about our streets at times. Examination of this material indicates that much of it has been thrown on the street by careless citizens. Most of this material is not insanitary, but creates untidy streets. This is especially bad in the spring when the winter's accumulation becomes evident. If we can increase the number of trash collecting boxes in the business areas and at bus stops in outlying areas, much of this debris will eventually be kept off the streets.

Sanitary supervision of restaurants, stores and other food handling establishments is producing increasingly good results as indicated by our bacteriological control of these places.

Constant supervision of our milk supply is maintained on farms, in milk plants and delivery wagons, and 9,741 samples of milk were tested for purity.

Daily samples of the City water supply were examined for bacteria and for chlorine content. The water from a number of private wells was tested, as were regular samples from City and private swimming pools.

Our veterinarian, who inspects all animals slaughtered in our two non-exporting abattoirs, condemned 28,012 pounds of diseased meats. By far the greatest single cause of such condemnation was tuberculosis in pork, which accounted for 12,764 pounds.

GENERAL:

The rapid increase in our population has continued, and with it has increased the demand for public health services. In the face of the need for expansion and possibly re-organization of these servicies, co-ordination of the various services as far as possible seems an effective economic and timely measure. Some financial help now promised to cities by the Province should facilitate bringing this about. Indeed, both provincially and municipally there are various groups doing an excellent piece of public health work, but who could enhance the value to our citizens by maintaining closer co-ordination of these groups.

We have co-operated to the extent of our facilities in the teaching of nurses from various hospitals and nurses and medical students from the University of Alberta.

Many of our citizens are still forced to live in unsatisfactory housing. The answer to this problem is, of course, economic. The solution is likely to be made more difficult by semi-war-time restrictions and costs plus a continuing rapid increase of our population. The remedy lies beyond the public health field; but I see this as one of the greatest present hazards to the physical and mental welfare of a considerable part of our population.

Respectfully submitted,

G. M. LITTLE, MEDICAL OFFICER OF HEALTH.

		EXPENDI"	TUI	RES			
				1950		1949	
1.	Salaries			62,299.35		\$ 56,385.26	
2 .	Supplies			1,766.74		1,804.96	
3.	Transportation	gijin niy in i		5,135.17		5,491.83	
4/6.	Telephones, Sur	idries, Uniforms		1,906.17		1,859.52	
7.	Pensions			4,788.87		5,858.10	
				75,896.30		\$ 71,389.72	
		REVEN	IUE				
Perm	nits	\$ 304.25					
Meat	Inspection	818.50					
Prov.	. Govt. Grant	2,500.00					
Licer	ise Dept.	1,500.00					
		\$ 5,122.75	4	5,122.75		5,214.90	
			\$	70,773.55		\$ 66,174.82	
Cost	Per Capita						
Local	l Board of Health		. \$	75,896.30	.51c	\$ 71,389,72	.52c
School	ol Medical Service	es		47,264.48	.32c	39,675.00	.29c
7	Fotal cost per cap	ita	\$	123,150.78	.83c	\$111,064.72	.81c

EXPENDITURE CLASSIFIED-1950

		Administratio	Communicable Disease	Dairy Inspection	Food Inspection	Public Health Nursing	Sanitation	Vital Statistics	Bath House	TOTALS
1.	Salaries	\$11.914.35	\$ 8,891.26	\$6,274.33	\$4,671.32	\$ 8,894.43	\$20,514.08	\$1,079.52	\$ 60.04	\$62,229,35
	Supplies			50.57		237.74	101.70		117.44	1,766,74
	Transportation		1,859.35	1,295.90	300.00	598.71	1,601.21			5.135.17
	Telephones		65.76	38.64	17.76	55.56				369.73
	Sundries	623.91	233.89	90.01		325.79				1,331.06
	Uniforms				36.53	53.80	115.05			205.38
7.	Pensions	4,788.87					***************************************			4,788.87
		\$19,009.99	\$10,223.17	\$7,749.45	\$5,025.61	\$10,166.03	\$22,465.05	\$1,079.52	\$177.48	\$75,896.30
		25.0%	13.5%	10.2%	6.7%	13.4 %	29.6%	1.4%	.2%	100%

SUMMARY OF STATISTICS

Area of City, 26,778 acres including 1,000 acres of water and 2,147 acres in Parks.

	1950	1949	1948	1947	1946
Population	148,861	137,469	126,609	118,541	114,976
Persons per acre of land	5.4			4.4	4.2
Cost per capita	.51	.52	.51	.46	.44
School enrolment	23,306	21,452	19,859	19,071	18,988
Natural increase of population	3,481	3,282	2,935	2,920	2,283
Births					
Total births	6,813	6,514	5,928	6,019	5,455
Resident births only	4,622	4,246	3,938	3,838	
Resident rate per 1,000 population	31.3	30.8	31.1	32.3	28.8
Stillbirths					
Total stillbirths	82	97	90	109	83
Resident stillbirths only	59	57	54	62	51
Resident stillbirth rate per 1,000					
living births	12.8	13.4	13.7	16.1	15.7
Deaths					
Total deaths	1,694	1,556	1.609	1,482	1.576
Resident deaths only	1,141	964	1,003	819	968
Resident rate per 1,000 population	7.6	7.0	7.9	7.7	8.4
Infant Mortality					
Total deaths under 1 year of age	196	161	204	201	197
Resident deaths under 1 year of age	118	99	126	123	111
Resident rate per 1,000 living births	25.5	23.3	31.9	32.0	34.1
Maternal Mortality					
Maternal deaths (city only)	1	2	1	1	5
Rate per 1,000 living births	.21	.47		.27	1.5
Marriages					
Marriages	2.649	2,539	2,490	2,374	2,205
Rate per 1,000 population		18.4		20.0	19.1

ν	ITΔ	L ST	ΓΔΤΙ	ST	CS

**		Allolico		
	В	irths		
	1950	1949	1948	1947
Total births		6.514	5,928	6.019
Resident births only	4,622	4,246	3,938	3,838
Male		2,197	2,121	2,008
Female		2,049	1,817	1,830
Double Births		44	42	39
Resident illegitimate births		211	188	145
Total illegitimate births	390	441	436	373
Age group of mothers—				
15-19 years		24 9	241	192
20-24 years	1,417	1,332	1,239	1,251
25-29 years 30-34 years	1,541	1,426	1.317	1,240
30-34 years	901	813	745	763
Over 34 years	487	426	386	392
Born in Institutions—4261.				
Maternal Parentage:				
Canada	4.156	3,759	3,463	3,095
British Isles		245	290	473
Europe and Asia		146	114	161
U.S.A		87	62	92
Other countries	4	9	9	17
	CTILL	L:u4h.		
Total stillbinths		births	90 `	109
Total stillbirths	82	97 57	90 54	62
Resident stillbirths only Male	59 21	31	30	31
Female	38	26	24	31
Born in institutions	59	57	54	62
Cause of Foetal deaths:	00	•		
Dystocia	21	21	13	23
Prematurity	5	6	8	6
Toxaemia of pregnancy	6	6	7	5
Malformation	10	13	8	9
Placenta and membranes	5	9	6	8
Traumatism and overwork	1			1
Syphilis	1	7	1 11	10
Other conditions	10	•	11	10
	Dea	aths		
Total deaths	1,694	1,556	1,609	1,482
Resident deaths only	1,141	964	1,003	918
Male	695	580	600	553
remate	446	384	403	365
Resident rate per 1,000		= 0	= 0	
population	7.6	7.0	7.9	7.7
	Racial	Origin		
Canada	384	295	282	279
British Isles	381	346	399	355
Europe and Asia	224	180	197	196
U.S.Á	64	54	65	40
Others	88	88	60	48
•.	-f A	A		
Total deaths under 1 year of age	ntant N 196	Nortality 161	204	201
Resident deaths under 1 year of	190	161	204	201
age	118	99	126	123
Male	66	50	80	72
Female	52	49	46	51
Legitimate	$1\overline{14}$	91	113	106
Infant mortality rate per 1,000		_	-	, ,
living births	25.5	23.3	31.9	32.0

er.	MION 77-0*	= :	; =	::	:	:	:	;			:		: .	:	н		80
	ItaoM 21-01			 . ,	:	:	::::	: -	. :		:	:	: :	:	:	:	-
	13 moM 8 -4 13 moM 9 -7			64 61 .	::		::::	: .	 ! !		:			:		:	=
	itaoM & -I	- : - : - : - : - : - : - : - : - : - :		125		:	: . :	 .	: :		:	: .	: • :	:	:		23 1
	цзиом г	; m		₩ # :	ः चिम्	: .	ಬ4401 : ::	÷ 	: es	:	7	 4.	::	:		:	80 2
-	4th Week Total Under		11.1		: :		ε ν	o: 10	: :	:	:	. cs	: :	:	;	:	8
AGE	3rd Week			1.	; , ,	; p=4		:	::	:	:	:	: :	:		· · ·	21
BY A	Znd Week	61					 ⊢¦≓;	:	: :	:			 		:		œ
щ	1st Week			11:	ବଦ :	:	:01 .00 	 		:	:		 	;		:	24
	let Day			нн ;	: :	:	 ପରାଇ ଥି	⊣ ;	: ¢1	:	:	rci	: :	:	:		42 2
	December	1	H :H0	. 12			7 7 : 7	ن ده	: .	:	:	5	· : :	:	:	:	18
	November		· ; ;=	; = =	: '	:	 ⊟ ; ,ഞ	: :		:	:		: . : :	:	:	-	10
	October			11.	81 ; 1	⊣	 H [H	οι :	¢1	:			 :=	:		:	15 1
HTK	September	63	1:1	.	H=	:	; ;== 61	H	⊣ ,	_		· -	: :		_	:	13
MONTH	August		: : : :	61 ; ;	∺ .	:			: :	:		: 63 ~	• •	:	:	:	8
1950 BY A	July		111	H : :	: :		: : .61	:	 . H	:	:	. 61	•	:	:	:	9
Τ,	nue.			ଷଷ :	: '	:	्नन्ध	- :		:	:		 : :	:	;	:	12
MORTALITY,	yrM t		1111	; :	: :	:	는 :무여	::	 : :	:	-	::		:	:	:	20
DRT	lirqA		:::=	; ↔ :	 ≓ ;	:	:: ; ∺		: :	:	H	- :	· ·		:	:	1.
ž	Магећ		::.⊣	111	::		: :	::	::	:	:	; ero	 : :	:	:	:	6
INFANT	February		; - ; ;	111	1 1	;	. c1 . w	: :	: :	:		H	· ·	:		:	7
L.	Lanuar	-						::	1 1	:	:		. :		_		2
	Female			eo eo :	01 m	- -	භ භ භ භ	¢1 ⊣	-		21		1	-	7		52
	Male	 	୍ୟକ୍ଷ	10 to 11	eo :	:	1221	ඟ <u>;</u> •	- ec		÷	17	: -	:	_	-	99
	JATOT	4	2.21	891	10 H	-	02 44 44	⊷	⊣ 4 ″	-	61	24		1	ေ		118
		rain	Meningitis, except meningococce Tuberculosis Late effects of intracranial absortinenza Influenza Pneumonia	570/572 Other diseases of intestines and Peritoneum 751 Spina bifida and meningocele	Cleft palate and harelip Congenital malformations	urinary system 759 Other and unspecified congenital	760 Intracranial and spinal injury at birth 761 Other birth injury 762 Postnatal asphyxia and atelectasis		Hael III-d	infancy infanty with mention of other	subsidiary condition Immaturity subsidiary to some	776 Immaturity unqualified		922 Innalation of object causing costruc- tion or suffication	bed and cradile	other unspecified circumstance	TOTALS 1

80 & over M F

> 60-69 M F

50-59 M F

40-49 M F

30-39 M F

20-29 M F

15-19 M F

5-14 M F

Under 1 1-5 M F M F

Total M F

0
ĸ
7
1, 1950
Ξ
EATH
۹
m
F DEATH.
<u>u</u>
O
CAUSES
is
Š
7
6
_
Р
ō
_
ATION
-
5
٩
\mathbf{z}
ji.
=
š
d
j
Ü
ب
4
Z
0
Ξ
7
$\stackrel{\sim}{\rightarrow}$
S
11.
ш
Ş
=
۵
ш
Q
۵
=
ABRI
7
4

1. Tuberculosis of respiratory system 2. Tuberculosis, other forms 3. Syphilis and its sequelae 12. Acute Poliomyelitis 14. Measles 17. All order diseases classified as infective and parasitic. 18. Malignant Neoplasms, including Neoplasms of lympatic and thermatopoletic tissues 19. Beniga and unspecified Neoplasms 20. Diabetes Mellitus 21. Anaemias 22. Vascular lesions affecting central nervous system 23. Nonmeningococcal meningths 24. Rheumatic fever 25. Chronic rheumatic heart disease 26. Arteriosclerotic and degenerative heart disease 27. Other disease of heart 28. Hypertension without mention of heart 39. Hypertension without mention and heart 30. Influenza 31. Pneumonia 32. Brounchtis 33. Ulcer of stomach and duodenum. 35. Intestinal obstruction and herria 36. Gastritis, duodentisis, enteritis and colitis except diarrhoea of the newborn 38. Cirrhosis of liver 39. Cirrhosis 31. Cirrhosis 31. Cirrhosis 32. Cirrhosis 33. Cirrhosis 34. Cirrhosis 35. Monhritis 36. Gastritis, duodentisis, enteritis and colitis except diarrhoea of the newborn
--

Abridged International Classification of Causes of Death, 1950 (Continued)

Total M F	Under	Under 1 1-5	5-14		9 20-29	29 30-39		40-49	50-59	69-09	20-79	over
	M	MF	M	MF	· · · i	F M F		MF	MF	MF	M	2
40. Complications of pregnancy, childbirth and puerperium. 1 1	!	:	!	:	!	:	1	:	:			
41. Congenital malformations 20 7 13	7 10	2	1	1	:	:	1	Η.	:	:	:	
42. Birth injuries, postnatal asphyxia, and atelectasis 32 18 14	18 14	:	1	;	:	1	:	1	1		1	:
43. Infections of the newborn	4 3		i	I	:	:	:	:	-	:	:	:
41. Other diseases of early infancy, and immaturity unaulified season of early infancy, and immaturity unsulfied	20 12		;	!	!	;	1	!	:	:	:	
of			-	:	.	1	:	H	!	:	22	1
1	4	ന	-	:	1 1	1 4	H	1 4	5	23 6	14 1) 1(
	:		1	¢1	1 10	1 1		T .	3	2 1	-1	-
48. All other accidents 50 35 15	ಣ	1	;	1 2 .	19	9	-	:	89		:	~
49. Suicide and self-inflicted injury	!	1	1	:		1	1	5		89		i
50. Homicide and operations of war.			:	:	:		-	:	:	:	;	:

PRINCIPAL CAUSES OF DEATH, 1950

				ale e	Total hs	Rate per 100M Population
		Total	Male	Femal	% of T Deaths	Rate Popu
410-434 140-205	Diseases of the heart Malignant neoplasms, including neoplasms of lymphatic and haematopoi-	291	202	89	25.7	195.4
330-334	Vascular lesions affecting central nervous	203	104	99	17.9	136.4
	system	124	72	52	10.7	84.2
800-999	External causes	98	71	27	8.5	65.8
750-776	Diseases of early infancy	92	50	42	8.0	60.2
440-447	Hypertension	49	23	26	4.3	32.8
490-493	Pneumonia	39	22	17	3.4	26.0
794	Senility	22	17	5	1.9	14.9
001-019	Tuberculosis (all forms)	22	13	9	1.9	14.9
590-594	Nephritis and Nephrosis	18	11	7	1.4	12.0
	All other diseases	183	110	73		
		1141	695	446		

MORTALITY FROM HEART DISEASE

Year	1	Total Deaths	Deaths From Heart Disease	Percentage of Total Deaths	Rate per 100M Population
1950	***************************************	1141	291	25.5	195.4
1949		964	287	29.7	208.7
1948		1003	291	29.0	238.5
1947		918	260	25.9	219.3
1946	** * ** *** **** **** ****	968	262	27.0	227.8

MORTALITY FROM CANCER

Year	3	Total Deaths	Deaths From Cancer	Percentage of Total Deaths	Rate per 100M Population
1950		1141	203	17.7	136.4
1949	***************************************	964	159	16.4	115.6
1948	******* **** **** ********	1003	160	15.9	126.3
1947		918	143	15.5	120.6
1946		968	146	15 1	126 9

MORTALITY FROM INTRACRANIAL LESIONS OF VASCULAR ORIGIN

Year	Total Deaths	Deaths From This Cause	Percentage of Total Deaths	Rate per 100M Population
1950	 1141	124	10.7	84.2
1949	 964	101	12.5	74.1
1948	 1003	113	11.1	89.2
1947	 918	85	9.2	71.7
1946	 968	97	10.0	84.3

MORTALITY FROM TUBERCULOSIS

Year	:	Total Deaths	Deaths From Tuberculosis	Percentage of Total Deaths	Rate per 100M Population
1950	,	1141	22	1.9	14.9
1949		964	25	2.5	18.1
1948		1003	33	3.2	26.0
1947		918	28	3.0	23.6
1946	,	968	30	3.0	26.0

MORTALITY FROM PNEUMONIA

Year	Tota Death			Rate per 100M Population
1950	114	1 39	3.4	26.0
1949		47	4.8	41.4
1948		3 48	4.7	38.7
1947		.8 56	6.1	47.2
1946	96	88 4 9	5.0	42.6

MORTALITY FROM EXTERNAL CAUSES

Year	Fotal Deaths	Deaths From External Causes	Male	Female	Suicide	Homicide	Automobile Accidents	Other Accidents	Percentage of Deaths	Rate Per 100M Population
1950	1141	98	71	27	14	5	29	50	8.5	65.8
1949	964	73	57	16	10	3	20	40	7.4	53.0
1948	1003	57	40	17	6		17	34	5.6	45.8
1947	918	56	46	10	8		17	31	6.1	47.2
1946	968	83	64	19	25	1	17	40	8.3	72.2

IMMUNIZATION RECORD, 1950 Board of Edmonton Public Edmonton Sep. Private

Diphtheria 1st dose Re-inforcing doses		School Board 946 2,669	School Board 215	Physicians 329
Total doses		4,966	488	,
Whooping Cough				
1st dose	2,821	391		319
Re-inforcing doses		161		
Total doses	12,852	1,054		
Scarlet Fever	0.00			10
1st dose	650	****		18
Re-inforcing doses Total doses		****	1171	
	•		238	642
Smallpox	4,000	2,064	200	044
Typhoid	151			31
1st doseRe-inforcing doses		•	**	9.T
Total doses				
Tetanus				
1st dose	1.605			8
Re-inforcing doses		****	**	
Total doses	4,065	***		
Cholera				
1st dose		****		
Total doses	. 9	• ,,,,,		
Typhus				
1st dose		****	••••	
Total doses	. 10	• * * *		**
Plague	•			
1st dose Total doses		****	****	
	·	*	***	****
Dick Test		****	•	
Schick test		****	••	
Anti-Measles serum		****	****	5

IMMUNIZATION CLINIC

	1950	1949	1948
No, of persons receiving first doses	9,235	10,703	7,325
No. of persons receiving re-inforcing doses		2,949	2,970
Total procedures		37,910	27,837
Attendance	21,624	24,811	18,177
No. of Clinics held	250	249	249
Average attendance	86.4	99.6	73

During the past year students attended our clinic for instruction and to observe our method and procedure. There were 90 student days during the year.

COMMUNICABLE DISEASES, 1950 - 1946

	19	50	19	49	19	48	19	47	19	946
and the	C	D	C	D	C	\mathbf{D}	C	D	C	D
Chickenpox			1,209	***	927		1,468		934	• · ·
Diphtheria	1		2	1	2		6		3	
Diphtheria carriers	2		2		12		4		4	•
Dysentery	1		3		2	1	****		••••	
Encephalitis	5	2					3	1	4	2
Erysipelas	14		17		22		17		23	
Food Poisoning	5	****	5							
Influenza		3	****	3				2		6
Hepatitis (infectious)	1						1			
Malaria		****	1				3			****
Measles	465	1	8,080	1	1,285		925		2,563	1
Meningitis (Meningococcic)	2		5		2	1	2		4	
Mononucleosis (infectious)	ပ်		5				1			***
Mumps	2,345		424	1	196	1	300		1,378	
Paratyphoid					7		1		1	****
Paratyphoid carrier					1					
Pneumonia (lobar)		9		6		2		5	1	8
Poliomyelitis	38	2	28		88	6			8	
Ringworm (microsporon audouini)	10		7		00		****			****
Ringworm (others)	1		4							•
Rubella			788		118		87		183	****
Scarlet Fever.	499	2	121		83		79		173	
Septic Sore Throat	29	1	7		2		19		7	
Trachoma	20	-	1		_		_	• • • • • • • • • • • • • • • • • • • •	-	****
Tuberculosis (Pulmonary)	114	 19	91	23	140	26				
Tuberculosis (other forms)	23	3	12	23	-		98	20	78	20
Typhoid Fever		-	12	2		7	5	8	2	10
	• • • • •	• • • • •	1		1	•			****	
Typhoid carriers			2	•••		****		• • •		****
Undulant Fever			4	*-	1		9		2	• • • • •
Vincent's Angina	12		_		9		7		7	****
Whooping Cough	30	***	3		364	2	628	2	92	****
Venereal Disease-										
Gonorrhoea	824		703		808		666		624	****
G. C. Vaginitis							8		3	••••
Syphilis	43	5	83	4	95	5	104	5	81	4
Type Undetermined	•	···-			16	*	4	••••	12	••••
	8,303	47	6,590	41	4,181	51	4,423	48	6,201	51
Morbidity per 1,000 population	55.7		47.8		33.0)	37.5	?	53.	9

Communicable disease was responsible for 47 or 4.1% of the $1{,}141$ City deaths during 1950.

Of these 47 deaths, 30 were over 19 years of age, 22 were due to all forms of Tuberculosis and 5 died from Syphilis.

31.2% or 2,604 cases of communicable disease were due to Rubella; 2,345 or 28.2% were due to Mumps; 15.5% or 1,327 were due to Chickenpox and 499 or 6.0% were due to Scarlet Fever.

No	. of Cases	Percent of Cases	No. of Deaths	Percent of Deaths
Pre-school cases—1 to 5 years	1,673	20.1%	7	14.9%
School cases—6 to 14 years	4,467	53.8%	6	12.8%
Over 14	1,916	23.1%	34	72.3%
Age not stated	245	2.9%		
Armed forces	2	.1%		

	COMMONICABL			n n	1100	NOCKUC	727	7	700						(
	Total	Male	Female	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug. S	Sept.	Oct. No	Nov. D	Dec. Si	Side
Chickenpox	1327	229	650	232	113	62	بي آ-	36	105	115	51	39	74 1	163 2	241	6
Diohtheria.	-	Н	:		-	:	:	1	:	!	i	į	1	:	7	4
Diphtheria Carriers	2	7	-	:	;	-	:	:	:	1	;	:	1		:	ro
Dysentery	1	1	;	!	:	:	-	-	:		:	:	i		:	;
Encenhalitis	īĊ	4	_		í	67	П	i	:	63	:	;		:	:	9
Ervsinelas	14	9	э с	23	П	_	:	23	-	į	г	:	က	.	C1	 ,
Food Poisoning	2	4	-	į	:		***	63	1	•	:	:	7	_	:	9
Henatitis (Infections)		-			-		:	:		;		;	1	;	:	:
Mensies	465	206	259	237	20	38	32	53	17	16	-	4	63	[-	ο¢	œ.
Meningitis (mening.)	5	1	C1	П	-	-	:	:	i	:	:		:		:	:1
Monomueleosis (Infections)	2	ಣ	2	:	:	4	:	1	:	1	;	:	7	1		:
Mumns	2244	1158	1086	268	298	988	307	262	221	135	102	51	9	22	95	28
Paratympoid			1			:	į			}	:	i	:	:	1	_
Poliomyalitie	38	20	18							ເດ	23	2	4		1	31
Ringworm (migrosporen andonini)	10	10	:				;	10		. ;	:	;	****	:	:	;
Discussion (others)	-	-	;	-			;	1						1		1
Dubollo	2604	1930	1374	863	100	470	660	506	62	4	œ	12	6	10	21	14
Nuvella	499	935	264	86	×	100	35	40	40	<u>ء</u>	16	47	24	82	100	46
Scarlet Fever	06	0	12	7	ç	9 4	3 0	7	ç		,	:	4	!		2
Septic Sore Inroat	711	. •	99	נו א	1 5	-	1 H	101	1 4	jν	- 2	-	۰, ح	:		ı
Tuberculosis (pulm.)	114	4 r	0,	0 -	07	Ç.	? -	10	۰,	•	7	4	, ,	1	10	. 6
Tuberculosis (other forms)	23	13	10	4	N	4	-	4	7	:	:	:	†		c	1 -
Tularemia		ľ	1	1	1	-	11	!	:	!	i	1	:		-	٠,
Undulant Fever	4	61	27	1	1	;	_	_	-	(:	:		:	:	٦ ٥
Vincent's Angina	12	4	œ	c	:	:	:	[1	1	.7	! *	٦,	4	; 6	; <	N 0
Whooping Cough	30	17	13	;	:	:	;	-		i	٩	4	٥	:1	x.	ĸ
Venereal Disease													;	;	,	
Gonorrhoea	824	472	352	57	65	42	62	45	72	7.	23	3G I	£.	94°	7.4	:
Syphilis	43	22	18	က	က	2	70	4	4	က	4	t -	4	7	0 1	٠,
TOTALS	8303	4158	1705	1705	1292	1042	725	715	552	380	301	249	352 4	421	569	187
																ĺ
DEATHS	·	-	٠					-	-							
Encephalitis	7 6	٦ ٥		; -	:		!	4	٠,	:		:			-	
influenza	0	7 -	-	7	; -	:	:	:	•	:		:	:			
Measles	7	- 1	•	:-	-	:		; er:	: -	: -		:	:		. 67	
Lobar Freumonia		- ,	1 -	7	:	:	:	•	1	+	:		:	,		:
Poliomyelitis	7 0	0	-	:	:	;	:	:	:	i	į	1	:	٠,		1
Scarlet Fever	77 +	7 -	1	i	:	1	:	1	1	:		:	:	1 -	:	:
Septic Sore Throat.	7	7 0	: 6			-	; -	ì	; =	:	: 0	٠,		٠,	:	:
Tuberculosis (pulmonary)	67	77	0 6	9	4		7	;	* -	:	۷ -	0	4	-4	:	:
Tuberculosis (otner lorms)	0 14	- 14	•	1	1 1	٠ ;	! !	: :		;	7 2	: -	1	: :	:	: 1
DJ PITALES		'							٠			'				
TOTALS	47	33	14	ro.	7	2	П	4	G	-	ıΩ	9	61	13	9	:

_		1/4
1950	Under	_
AGE,	Ď	
BY AGE, 1950		Female
DISEASE		Male 1
DISE	Cit y	868
BLE	පි	రే
COMMUNICABLE		
Š		
ő		

		ב כ נ	} [: :	2			(;		,
	Case	Male Female		Onder 1	1/4	6/14	15/19	28	Stated	Forces resident	sident
Chickennox	1.327	677	650	54	435	771	18	24	24	1	σ.
Dichtheria		, 	;	;	-	: 1	; ;				4
Diphtheria Carriers	61	-	-	! !	' :			2	:	:	20
Dysentery	-	н	:	;	1	,	;	1	i	:	;
	ī	4	-	;		2	7	:	:		9
Erysipelas	14	9	œ		2	:		10	2	;	
Food Poisoning	ъ	4	-	i	-	:	1	;	က	٠	9
	-	-	;	į	į	:	:	:	-	:	:
Meas less	465	206	259	56	193	198	20	16	12	;	138
Meningitis (mening.)	2	!	61	-	П	;	:	:	:		¢1
Monomiclosis (Infections)	ĸ	cc	2		:		1	C.1	7	1	!
Minnie Minne	2.244	1.158	1.086	10	394	1.525	20	164	9.	,	28
District				•							-
ratary pionument.	56	0.6	3	:	1	13	ıc	σ			31
r olomyelius.	_	07-	9	:	19	7	•	•	:		
Fingworm (Alerceporan audounn)	_	3 -	1	:	-	ļ.	;	:	:		
Kingworm (others)		1 000	7 20 1	ï	1010	1 600	200	999	:09		14
Rubella		1,230	1,574	*	ore	1,009	909	000	3	7	+ 0
Scarlet Fever	499	235	264	1	118	326	50	37	9	•	40
Septic Sore Throat		13	10	:	-	61	6	14	כים		N
Tuberculosis (Pulmonary)		48	99	:	01	1	2	<u>-</u> -	32	;	:
Tuberenlosis (other forms)		13	10		-	ત	4	4	12	٠	7
Tale remis		,					1		:		
Indiant Force	7	6	6		i	!		65	T		Н
Vincently Amin	- 6	1 ~	1 0	:	-	:		ıc	9		2
Whoming Cough	100	* 1-	0 67	-	+ <u>es</u>	14	:	-	-		ora
Waterward District	9	4	2	+	2						
SERIES TO SERIES	165	627	35.9				122	969	9		;
Combilie	424	2 6	2 00	-	:	-	ıc	32			: :
Syphins.	6	0.00	0.7	•		'	,				
TOTALS	8,303	4,158	4,145	172	1,501	4,467	593	1,323	245	73	187
DEATHS											
Encenhaltis	7	П	-	į	i	-	-	***	:	1	1
	00	7	1	2	1	;	;	- -	:	1	:
Masies	-	H	i	:	į	7	;	:	1	;	:
Taker Presiments	6	7	c1	C 1	1	1	:	[-	1	:	ì
Dollowuslifis	2	-	П		;	1	-	1	:	į	:
Coorlot Power	167	2	' !		:	1	;	-	;	1	;
Contin Core Throat	ı 	-	: 1	;	1		i	:	;	1	:
Septe Outer III car. Turkarenlosis (Dulmonser)	6	12	rc		;	1	i	19	1	;	1
Tuberculosis (other forms)	900	Ι.	671	;	1	-	П	-	;	1	:
Syphilis	10	лO	į	;	i	;	į	20	1	1	:
O I V HOLE	£P	9.9	1.4	4		ي	2	28			:
TOTALS	ř	3	* 1	•	:	•		i			

ISOLATION HOSPITAL

Eight hundred and twelve patients were admitted to the Isolation Hospital during the year 1950. There were 48 outpatients and 17 patients died.

	tal wer	e for the followi	ing caus	es:			
-	371	Erysipelas			17		
Diphtheria	6	Measles			29		
Diphtheria carriers	2	Rubella			50		
Poliomyelitis	65	Whooping Cou			7		
Meningitis (meningococcic)	2	Chickenpox	~		12		
Meningitis (tuberculosis)	5	Mumps			89		
Tuberculosis	24	Septic sore thr			14		
Typhoid Fever	1	Vincent's Ang			6		
Typhoid carrier	1	Ringworm			11		
Paratyphoid	4				90		
Encephalitis	6						
The deaths included:	-						
		D-1:1:4:-					
Scarlet Fever	3 2	Poliomyelitis			3 4		
Measles		Tuberculosis (_		-		
Diphtheria	1	Others			4		
•							
SCHOOL	MEDIC	AL SERVICES					
SCHOOL	MEDIC	P	ublic	R.C. Separa	te		
		P School	ol Board	School Boan	te d		
Complete examinations		P	ol Board 7947	School Boan 530	te d		
Complete examinations Number reported with defects		P School	ol Board 7947 3447	School Boan 530 114	te -d		
Complete examinations Number reported with defects Number reported without defects		P School	ol Board 7947 3447 7331	School Boar 530 114 416	tse rdi		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations		PSchoo	ol Board 7947 3447 7331 4850	School Boar 530 114 416 288	te d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses		PSchoo	7947 3447 7331 4850 609	School Boar 530 114 416	te d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations		PSchoo	ol Board 7947 3447 7331 4850	School Boar 530 114 416 288	te d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses		PSchoo	7947 3447 7331 4850 609	School Boar 530 114 416 288 97	te •d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses Talks to classes		PSchoo	7947 3447 7331 4850 609	School Boar 530 114 416 288 97	te •d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses Talks to classes	CULOSI	PSchool	7947 3447 7331 4850 609	School Boar 530 114 416 288 97	te d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses Talks to classes	CULOSI	S CONTROL	7947 3447 7331 4850 609	School Boar 530 114 416 288 97	te -d		
Complete examinations Number reported with defects Number reported without defects Parents present at examinations Home visits by nurses Talks to classes	CULOSI en's Cl	S CONTROL ub Service 1950	7947 3447 7331 4850 609 370	School Boan 530 114 416 288 97	-d		

Visits to suspect cases Not seen, moved, etc. **Provincial Tuberculosis Division** Examinations: Active cases Suspects Contacts Total examinations 4251 Tuberculin test made 1987 Tuberculin tests positive 850 Mobile X-ray clinic

WELL BABY	AND P	RE-SCHOOL	CLINIC		
	1950	1949	1948	1947	1946
Number of clinics	250	249	232	240	200
Attendance under 1 year	10954	10429	9594	10260	
Attendance over 1 year of age	4368	4823	3793	1690	
Total attendance	15322	15272	13387	11950	8167
Average attendance	61	61	58	50	41
New admissions under 1 year	2869	2768	2417	2564	1881
New admissions over 1 year	723	829	784	511	328
Re-admissions	113	121	123	109	97
Referred to Family doctor	170	135	112	107	31
Oot-of-town cases	370	356	335	225	153
Total attendance from out of town	886				

338 children were discharged, leaving 9,545 on the active roll.

4 senior interns, under Dr. D. B. Leitch, as consultant, attended the clinics during the year and examined 929 children.

There were 2,564 home visits made to problem cases and very young babies.

During the year there were 191 student days. These were made up of B.Sc. and Public Health nurses from the University of Alberta who were with us for observations at Clinics as well as home visiting, and student nurses from the University Outdoor Clinic, Royal Alexandra Hospital, Misericordia Hospital and new staff members from the Provincial Department of Health.

VICTORIAN ORDER OF NURSES

	1950	1949	1948	1947	1946
Pre-natal visits	84	165	295	171	198
Obstetrical (nursing care)		9	6	11	0
Obstetrical (advice)	1145	1353	1470	1447	1333
Newborn (Nursing care)	432	559	711	754	657
Newborn (health supervision)	1474	1576	1358	1303	1796
Other visits	5615	5157	5609	3922	2450
Total visits	8750	8819	8449	7602	6434
Pre-natal clinics	35	**	50	50	59
Total attendance	393	391	550	528	577
Average attendance	11		11	10	12
Mothers enrolled	100	58	114	115	115

SANITATION

INSPECTIONS:	1050	1040
Dwellings	$\frac{1950}{216}$	1949 423
Dwellings Hotels, lodging houses, apartment blocks	271	260
Schools, blocks, public buildings	67	74
Stores, business establishments	53	98
Food handling establishments	7.025	6.600
Garbage cans, etc.	417	746
Streets, lanes, yards, dumps, etc.	79	326
Miscellaneous	785	1,930
-	8,913	10,457
Re-inspections	465	424
NOTICES:		
Written	287	381
Verbal	569	958
Garbage	63	180
COMPLAINTS:		
	F 45	200
Received from public	545	639
Justified	438 23	576 12
Received from other departments Referred to other departments	46	77
The complaints were made up as follows:		
Garbage, streets, lanes, etc	204	232
Vermin	32	31
Housing, plumbing and drainage	188	250
Food and drink	52	53
Miscellaneous	69	73
LICENSES:		
License applications investigated	2,936	2,952
	•	,
PLUMBING:		
Sewer and water notices issued	11	15
Sewer and water installed, buildings removed, etc.	14	14
Extension of time granted	23	9
Plumbing permits issued	3,383	2,990
Plumbing permits issued for old buildings	41	41
Alterations to existing plumbing (fixtures)	1,241	1,630
Privies eliminated through installation of plumbing	41	41
Number of septic tanks installed	6	19

DISINFESTING STATION:		
Baths	3,539	3,401
Verminous	3	
Scabies	89	151
Disinfested	91	151
No. of Men Washing Clothes	2,683	2,497
Units Washed	8,049	7,491
SCAVENGING CLEAN-UP WORK:		
Refuse removed during Clean-up Week (cubic yards)	11,766	12,624
ANIMALS, BARNS, STYES:		
Cow owners	171	247
Hog owners	51	78
Goat owners	15	23
Fur farm owners	62	76
FOOD:		
	_	
Samples submitted to Provincial Laboratory		15
Foodstuffs condemned (lbs.)	3.573	27,688
WATER:		
Water samples taken	33	20
Negative	9	12
*Positive	3	8
*Suspicious		
For fluorine	21	
Wells chlorinated	2	1
Wells placarded	1	
Ice samples		1
Rinse water samples		
*-Wells condemned or further samples taken after chlo	orination.	

HOUSING:

Vermin, overcrowding and other insanitary conditions were checked in 216 dwellings and 271 hotels, lodging houses, apartment blocks, etc. Necessary notices were issued.

POISON GAS FUMIGATION:

Vermin were eliminated from ten establishments by hydrocyanic acid gas.

ENFORCEMENT OF REGULATIONS:

The second is man	
Prosecutions	 1

FOOD INSPECTION

MEATS INSPECTED AND CONDEMNED

Beef	1950	1949	1948
No. of carcasses inspected	2.618	2,763	3,026
Carcasses condemned	2,010	2,703	20
Portions condemned	191	234	253
Weight (lbs.) of carcasses and portions	202	-01	
condemned	7,305	13,380	13,340
Veal:			
No. of carcasses inspected	1,642	2,168	1,886
Carcasses condemned	4	4	10
Portions condemned	49	69	35
Weight (lbs.) of carcasses and portions			
condemned	1,755	1,955	2,440
Mutton:			
No. of carcasses inspected	225	404	367
Carcasses condemned	5	9	8
Portions condemned	5	15	2
Weight (lbs.) of carcasses and portions	045	CAE	400
condemned	345	645	430
Pork:			
No. of carcasses inspected	3,572	2,798	2,831
Carcasses condemned	17	21	33
Portions condemned	1,210	834	760
Weight (lbs.) of carcasses and portions	10 607	15 660	16,540
condemned	10,007	15,660	10,040
Totals:			
No. of carcasses inspected	8.057	8,133	8,110
Carcasses condemned	34	55	71
Portions condemned	1,455	1,152	1,050
Weight (lbs.) of carcasses and portions	-,	_,	,
	28,012	31,720	32,750
CARCASSES FOUND TO BE INF	ECTED	WITH T.B.	
Beef:			
Infected	8	18	25
Percent	.30	.65	.82
Pork:			
Infected	729	556	515
Percent	20.41	19.83	18.20
= ======			

CHIEF CAUSES OF CONDEMNATION, 1950

Abscess Abscess multiple Actinomycosis Bruised Emaciation Tuberculosis Septicemia Pneumonia Miscellaneous (adhesions, jaundice, parasites)	Carcasses 1 1 1 1 3 8	Portions 46 103 3 12 27 191	Weight Lbs. 645 400 2,035 725 450 725 550 1,425 350 7,305
Veal: Abscess Actinomycosis Abscess multiple Bruised Gangrene Peritonitis Miscellaneous (adhesions, jaundice, parasites)	1 1 1 1 1	23 8 3 15 ———————————————————————————————	310 120 220 260 300 400 145
Mutton: Abscess multiple Bruised Parasites Miscellaneous (abscess, pneumonia)	2 2 1 —————————————————————————————	1 5	125 45 105 70 345
Pork: Abscess multiple Adhesions Arthritis Contamination Parasites Pneumonia Tuberculosis Jaundice Miscellaneous (abscess, bruised, emaciation, rhinitis inf.)	3 2 2 9 1	89 155 144 787 19 16 1,210	550 1,275 300 2,380 428 325 12,764 275 310

605 32,750

DISEASED ANIMA	ALS		
	1950	1949	1948
Beef	184	221	245
Veal	43	62	38
Mutton	5	16	6

Pork

Total amount of meat condemned 28,012

FOODSTUFFS	CONDEMNED	ΒY	INSPECTORS

910

657

31,640

Canned goods			1
Fruit and vegetables		13	30,085
Meat	12	185	
Fish		****	65
Poultry	154	108	270
Damaged by fire, flood, etc.	3,407	27,334	5,502
Sundries		48	14
-			
Total (lbs.)	3,573	27,688	35,937





MILK AND WATER REPORT

	1950		1949	
	Total No.	No. of	Total No.	No. of
Inspections:	Premises	Inspections	Premises	Inspections
Producer-distributors, raw milk	1	23	2	25
Producer-shippers, milk		1,165	336	392
Pasteurization Plants		168	4	165
Vehicles	., ,,,	215	****	208
Others, complaints, etc.		14	••••	9
, <u>-</u> ,				
Licenses and Permits:				
Retail milk certificates issued		568	****	521
Dairy Licenses issued		404		376
Dairy Licenses refused		12		4
Dairy Licenses suspended temporaril	y	73		339
Permits issued to cow keepers in the	!			
city		211	•	297
Samples:				
Milk samples taken, retail		780	****	827
Milk samples taken, shippers		8,672	****	14,804
Cream samples taken		145		22
Special Milk samples		32	** *	5
Chocolate Milk samples		98	****	82
Ice cream samples		14	••••	30
TESTS-Milk:				
		780		827
Standard plate counts		213	****	21
Coliform tests		621		676
Phosphatase tests		8,672	****	14,804
Methylene Blue tests		133	•••	384
Butterfat tests			••••	408
Sediment tests		••••	••••	400
Restaurants:				
Swab tests of utensils	,	975		203
Water:				
Standard plate counts	.,	2 92		292
Coliform tests		2 92	****	292
Chlorine content checks		257		260
Raw river water plate counts		27	••••	29
Swimming Pools:				
Plate counts		142	****	418
Coliform tests		142		418
Inspections	,	77		



